INDEX MAPS.

T. 23 N. R. 3 E. 2d Mer.



T. 24 N. R. 3 E. 2d Mer.



☞ The figures on the lines refer to the page.

Township No. 23 N. Range No. 3 E. 2nd Mer. Indiana.

South Boundary.

Var. 4° 50' East

N. 89° 30' E. On S. Boundary of Sec. 31
Town Cor. a Beech 12 in. diam. S. 16 E. 37 lks. dis.
a Do 10 " " N. 37 E. 80 " "
16.20 a W. Wood 30 in. diam.
46.85 Set 2d Sec. post p. wh.
a Beech 10 in. diam. to N. 34 W. 29 lks. dis.
a Do 8 " " " N. 65 E. 26 " "
66.50 an Elm 14 " "
67.50 a Stream 10 lks. wide co N.
68.50 Enter pole N. & S.
75.00 Leave Do N. & S.
86.85 Set post Cor. to Sec. 31 & 32 p. wh.
a W. Wood 14 in. diam. to N. 65 W. 63 lks. &
a Beech 8 " " " N. 12 E. 40 "
Land gently rolling 1st Rate
Beech. Oak. Sugar. Elm. B. Walnut
Hickory. Ash &c.

N. 89° 30' E. On S. Boundary of Sec. 32
21.06 a Beech 10 in. diam.
40.00 Set 2d Sec. post p. wh.
a Beech 10 in. diam. to N. 10 W. 33 lks. dis.
a Sugar 14 " " " N. 71 E. 52 " "
57.58 a W. Wood 30 " "
80.00 Set post Cor. to Sec. 32 & 33 p. wh.
a Beech 16 in. diam. to N. 18 E. 29 lks. dis.
a Hickory 10 " " " N. 47 W. 18 " "
Land level first rate Timber
Beech. Sugar. Ash. Elm. Hickory. B. Walnut.
Oak. Maple. Sycamore &c.

N. 89° 30' E. On S. Boundary of Sec. 33.
21.33 a Beech 10 in. diam.
40.00 Set 2d Sec. post p. wh.

64. T. 23 N. R. 3 E. 2nd Mer. Indiana.

Ch. Lks.

a W. Oak 40 in. diam. Bs. N. 65 E. 44 lks. &
a Do 48 " " " N. 40 W. 70 "
60.64 a B. Ash 8 " "
80.00 S. E. Cor. to Secs. 33 & 34 p. wh.
a Beech 14 in. diam. N. 38 E. 27 lks. &
a Do 10 " " N. 85 W. 29 "
Land level fine rate. Timber
Beech. Sugar. Ash. Elm. Hicky. Oak.
Maple. Sycamore. Buckeye &c.

N. 89.30 E. On S. Boundy. of Sec. 34
23.20 a W. Oak 12 in. diam.
30.00 Enter Low Land
40.00 S. E. 2. Sec. Cor. p. wh.
an Elm 12 in. diam. Bs. N. 40 W. 9 lks. dis.
a B. Ash 8 " " " S. 60 E. 23 " "
43.00 Leave Low Land
59.50 a Stream 15 lks. wide co. N. E.
62.20 a Lynn 10 in. diam.
72.00 a Road N. & S.
80.00 S. E. Cor. to Secs. 34 & 35 p. wh.
a Buckeye 10 in. diam. N. 10 E. 27 lks. &
a Do 10 " " N. 78 W. 29 "
Land level 2nd Rate. Timber
Maple. Elm. B. Ash. Oak. Walnut.
Lynn. Beech. Sugar &c.

N. 89.30 E. On S. Boundy. of Sec. 35
19.71 a Beech 10 in. diam.
32.00 a Road N. & S.
40.00 S. E. 2. Sec. Cor. p. wh.
a Beech 12 in. diam. N. 28 W. 10 lks. &
an Ironw. 6 " " N. 62 E. 16 "
42.60 a Stream 15 lks. wide co. N.
62.00 a Road N. & S.
68.13 a Hicky. 10 in. diam.

T. 23 N. R. 3 E. 2nd Mer. Indiana.

chs. lks.

80.00 Set post Cor. to Secs. 35 & 36 p. wh.
a Beech 10 in. diam. bt. N. 30 E. 70 lks. &
a Sugar 12 " " " N. 48 W. 48 "
Land slightly rolling first rate - Beech. Sugar. Elm. Ash. Oak. Lynn. Hickory &c

---

N. 89° 36 E. On S. Boundary of Sec. 36
14.00 a Stream 10 lks. wide co. N.
14.50 Enter field
22.00 Leave Do.
26.30 a W. Ash 10 in. diam.
40.00 Set 2 Sec. post p. wh.
a Beech 6 in. diam. bt. N. 53 W. 33 lks. dis.
a Do 12 " " " N. 2 E. 32 " "
45.41 a W. Oak 30 " "
80.00 Set post Cor. to Towns 22 & 23 North Ranges 3 & 4 E. 70 lks. S. of Temp. post p. wh.
a B. Ash 10 in. diam. bt. S. 30 W. 13 lks. dis.
a Do 8 " " " N. 68 E. 21 " "
Land level first rate - Timber Beech. Sugar. Ash. Elm. Walnut. Hickory. Maple. Oak. Buckeye &c

---

East Boundary.

Var. 4° 50' East

North On E. Boundary of Sec. 36
23.33 a Beech 10 in. diam.
40.00 Set 2 Sec. post p. wh.
a B. Ash 8 in. diam. bt. N. 58 W. 9 lks &
an Elm 14 " " " S. 80 E. 17 "
56.65 a W. Wood 30 " "
80.00 Set post Cor. to Secs. 25 & 36 p. wh.
a B. Oak 14 in. diam. bt. S. 55 W. 34 lks. &
a Beech 8 " " " N. 70 W. 6 "
Land level first rate - Timber

T. 23 N. R. 3 E. 2nd Mer. Indiana.

chs. lks.	
	Beech. Sugar. B. Walnut. W. Wood Hickory. Buckeye. Ironw.d. Elm. Ash &c.
North	On E. Boundy. of Sec. 25.
14.00	a Stream 6 lks. wide co. E.
23.00	a Hicky. 12 in. diam.
40.00	Set 2d. Sec. Post p. wh.
	a Buckeye 8 in. diam. to. N.35 W. 17 lks. x
	a do 7 " " " S.20 W. 39 "
53.90	an Elm 12 " "
63.25	Enter field
74.00	Leave do
76.50	a Stream 5 lks. wide co. N. E.
80.00	Set Post Cor. to Sec. 24 x 25 p. wh.
	a Beech 7 in. diam. to. S.48 W. 4 lks. x
	a do 7 " " " N.30 W. 44 "
	Land slightly rolling fine
	rate Beech. Sugar. Ash. Elm. Hicky. B. Walnut. Buckeye &c
North	On E. Boundy. of Sec. 24
21.00	a Beech 8 in. diam.
22.10	a Stream 15 lks. wide co. N. W.
27.50	Enter field
40.00	Set 2d. Sec. Post p. wh.
	an Elm 12 in. diam. N.30 W. 18 lks. x
	a Beech 14 " " S.55 E. 51 "
	House N. E. about 4.00 and another 8.00 west (about)
50.10	Leave field
68.50	an Ironw.d. 7 in. diam.
80.00	Enter field x Set post Cor. to Sec. 13 & 24 p. wh.
	a Beech 8 in. diam. to. S.30 W. 40 lks.
	a do 8 " " " S.6 E. 45 "
	Land slightly rolling fine
	rate Beech. Sugar. Ash. Elm.

T. 23 N. R. 3 E. 2nd Mer. Indiana.

chs. lks.

Oak. Buckeye. Lynn. B. Walnut &c
Nov. 19. 1846

North On E. Boundy. of Sec. 13.
9.00 Lean field
28.75 a Beech 10 in. diam.
40.00 Sel 2d Sec. post p. wh.
a Beech 7 in. diam. Br. S.21 W. 18 lks. dis.
a Do 8 " " " S.40 E. 26 " "
60.56 a Buckeye 12 " "
80.00 Sel post Cor. to Secs. 12 & 13 p. wh.
a Beech 7 in. diam. Br. S.26 W. 24 lks. &
a Do 10 " " " N.85 W. 44 "
Land level fine rate – Timber
Hickory. Elm. Lynn. B. Walnut. Ash. Beech.
Sugar. Buckeye. Oak. Iron wd. &c –

North On E. Boundy. of Sec. 12
19.98 a Beech 8 in. diam.
40.00 Sel 2d Sec. post p. wh.
a Beech 14 in. diam. Br. S.32 W. 30 lks. dis.
a Do 12 " " " N.28 W. 46 " "
54.75 a Stream 6 lks. wide co. N. E.
57.70 a Beech 14 in. diam.
60.00 Descend Bank 20 feet
69.70 a Stream 40 lks. wide co. West
80.00 Sel post Cor. to Secs. 1 & 12 p. wh.
a Sugar 12 in. diam. Br. N.34 W. 31 lks. dis.
a Beech 12 " " " S.70 W. 44 " "
Land rolling fine rate – Timber
Beech. Sugar. Lynn. Ash. Hickory. Elm.
B. Walnut. Oak. Buckeye &c.

North On E. Boundy. of Sec. 1.
22.90 a Beech 14 in. diam.
40.00 Sel 2d Sec. post p. wh.

T. 23 N. R. 3 E. 2nd Mer. Indiana.

chs. lks.

a Beech 14 in. diam. B. N. 7 W. 33 lks. ✗
a Do 12 " " " S. 32 W. 36 "
46.00 Enter field
57.00 Leave Do.
51.00 a Road from Canton to Kokomo N. N. W.
52.00 a Stream 6 lks. wide ca. N. W.
76.85 Intersected Town Cor. at post
Land rolling first rate
Beech, Elm, Ash, Sugar, Hickory,
B. Walnut, Oak, Buckeye, Lynn &c.
Note by Recorder
See N. Boundary for witnesses
to this Corner.

North Boundary.

Var. 4°50' E.

N. 89°30' E. On S. Boundary of Sec. 31. T. 24 N. R. 3 E.
Town Cor. in cross Roads.
5.50 Descend Bank 50 feet high
7.50 Rapid Stream 10 ca. South
10.00 Ascend Bank 50 feet high N. & S.
30.00 Leave field N. & S. 1.00 South
34.40 a Beech 10 in. diam.
47.75 Set Qr. Sec. post p. w. h. Leave Road N. E.
an Elm 4 in. diam. B. N. 20 E. 25 lks. ✗
a Buckeye 6 " " " N. 42 W. 21 "
48.00 Enter field S. side of do.
60.50 Leave Do. N. & S.
61.00 a Road E. N. E. & W. N. W.
63.00 a Stream 10 lks. wide ca. Southerly
68.10 a Beech 12 in. diam.
77.50 Descend slightly to Creek Bottom N. & S.
87.75 Set post Cor. to Secs. 31 & 32 p. w. h.
a Beech 18 in. diam. N. 54 W. 52 lks. ✗
a Do 18 " " N. 62 E. 79 "
Land gently rolling first rate

T. 23 N. R. 3 E. 2nd. Mer. Indiana.

chs. lks.

Beech. B. Walnut. Oak. W. Ash. Lynn. Buckeye. Ironwood. White wood. Hickory. Sugar &c

---

N. 89° 30' E. On S. Boundy. of Sec. 32 T. 24 N. R. 3 E.
2.00 Entr field N. side of do. House 50 lks. S. of Line
13.00 Leder field N. & S.
15.00 a Road N. & S.
23.50 a Stream 10 lks. wide co. Southerly
27.70 a Buckeye 15 in. diam.
28.10 Wild Cat Creek 150 lks. co. South Rapid & Shallow - gravelly Bottom
32.00 Same 1.50 wide co. Northerly
40.00 Set 2nd. Sec. post p. wh.
a Buckeye 10 in. diam. bt. N. 30 W. 41 lks. &
a Hackberry 12 " " " N. 15 E. 45 "
45.70 Wild Cat Creek 150 wide co. Southerly & ascend 20 feet from bottoms N. & S.
50.00 a Road N. & S.
51.14 a Beech 18 in. diam.
57.00 to Creek Bottoms - slight descent
60.00 Set post Cor. to Secs. 32 & 33 p. wh.
a Buckeye 10 in. diam. bt. N. 34 W. 15 lks. dis.
a Do 12 " " " N. 58 E. 22 " "
Land mostly very rich - Creek bottoms - Buckeye, B. Walnut, Sycamore, Buckeye, Lynn, W. & Blue Ash. Butternut &c. Grape vines & Briers

---

N. 89° 30' E. On S. Boundy. of Sec. 33. T. 24 N. R. 3 E.
8.10 Wild Cat Creek 150 N. Rapid and shallow with Stony bottom
12.31 a W. Oak 10 in. diam. & ascend from Creek Bottoms N. & S. 20 feet
36.00 Descend Bank 40 feet N. & S. to Creek bottoms
40.00 Set 2nd. Sec. post p. wh.

70.

T. 23 N. R. 3 E. 2nd Mer. Indiana.

Ch. Lks.	
	a W. Ash 15 in. diam. to S. 24 E. 17 lks. &
	a Do 6 " " " N. 82 E. 20 "
45.51	a Butternut 6 " "
58.00	Ascend Bank 50 feet W. N. W.
64.00	Descend Bank 50 " N. & S.
72.00	Ascend Bank 50 " N. W. & S. E.
74.50	a Trail N. & S.
80.00	Set post Cor. to Secs. 33 & 34 p. wh.
	a Sugar 15 in. diam. to N. 21 W. 40 lks. &
	a Do 10 " " " N. 22 E. 46 "
	Land mostly cover bottoms very rich – Buckeye, Hackberry W. & Blue Ash, Maple, Butternut, B. Walnut, Sycm. W. Beech, Iron wd. &c
	On high Land Beech, Sugar Hickory White wood, Iron wd. Oak, &c,

---

N. 89.30 E.	On S. Boundy. of Sec. 34 T. 24 N. R. 3 E.
.60	Enter field N. & S. 3.00 each way
11.50	Leave field N. & S.
13.56	a Sugar 15 in. diam.
14.00	Bed of Stream 10 lks. wide co. Southerly
40.00	Set Qr. Sec. post p. wh.
	an Iron wd. 8 in. diam. to N. 12 W. 6 lks. &
	a Beech 6 " " " S. 45 E. 12 "
41.00	Descend 50 feet to Creek Bottom, N. & S.
48.00	a Stream 20 lks. wide sluggish co. Southerly
48.78	a Beech 15 in. diam.
65.00	Wild Cat Creek 1.50 co. S. W. Rapid gravelly Bottom
80.00	Set post Cor. to Secs. 34 & 35 p. wh.
	a Sugar 10 in. diam. N. 42 W. 39 lks. di.
	a Buckeye 10 in. " N. 55 E. 11 " "
	Land fine for Milch Cows Rich. Illana timber with Beech, Sugar, Sycm. Iron wd. W. & B. Oak, B. Walnut,

T. 23 N. R. 3 E. 2nd Mer. Indiana.

Chs. lks.

Hickory pe. Last ½ mile rich Creek Bottom timbered with Buckeye, Hackberry Maple, Elm, Butternut, W. Beech, pe — Grape vines & Briers

---

N 89° 30' E. On S. Boundy. of Sec. 35 T. 24 N. R. 3 E.
1.50 T. Wild Cat Creek W. by N.
8.00 Leave the Creek Right Bank. Creek 1.20 wide Shallow and rapid with flat Limestone bottom —
9.44 a Buckeye 12 in. diam.
18.50 a Road W. by N.
21.50 a Stream 10 lks. wide co. W. S. W.
25.00 a Road W. by N. & Ascend slightly from Creek bottoms
32.50 Limestone Ledge 1.00 North
35.00 House 60 lks. South
40.00 Set 2nd Sec. post p. wh.
a Beech 6 in. diam. to. N. 15 W. 29 lks. dis.
an Elm 6 " " " S. 38 W. 25 " "
50.18 an Elm 10 " "
55.00 Enter field N. & S. near S. Edge and Extends about 7 chs. North
62.00 Leave Do N. & S.
62.35 To W. Line of Float Claim No. 6 and Set post from which
a Buckeye 6 in. diam. S. 42 W. 45 lks. &
a Beech 10 " " N. 16 W. 60 "
Measured S. half E. along westerly Line of Claim No. 6. 1.21 to S. W. Cor. of Claim No. 6.
64.00 to Wild Cat Creek 1.50 co. South - rapid & Shallow with Stony bottom
{70.00 Mill raw 20 lks. co. S. W.}
{72.00 Saw mill 3.00 North } In float
{74.00 Enter field N. & S. }

72.

T. 23 N. R. 3 E. 2nd Mer. Indiana.

dis. lks.

{80.00} Cor. to Sec. 35 & 36 in pile in float
Land level fine rate. B. Walnut, Buckeye, Sycamore, Sym. Mulberry, Hackberry, Beech, Sugar, Sym. Ironwd. pe.

N. 89° 30' E. On S. Boundy. of Sec. 36 T. 24 N. R. 3 E.
5.00 Leave pile N. & S.
41.00 2d Sec. post
48.50 a Road N. & S.
71.50 a Do N. & S.
72.00 to E. side of Float & Set post p. wh.
a Beech 12 in. diam N. 60 E. 64 lks. &
a Do 10 " " S. 6 E. 44 "
Measured S. 10 W. along E. side of Float N. 6 17.96 to S. E. Cor. of Do.
80.00 Set post Cor. to Towns 23 & 24 North Ranges 3 & 4 E. p. wh.
a Beech 15 in. diam. to. N. 19 E. 35 lks. &
a Do 8 " " " N. 41 W. 25 "
Land level & rich Beech, B. Walnut, Sugar, Ironwood, Cherry, White Wood, Sym. & Nov. 9. 1846
Surveyed by John Mullett
Asst. Surveyor

West Boundy.

Var. 4.45° East

North From Cor. of Towns 22 & 23 N. Ranges 2 & 3 E.
On E. Boundy. of Sec. 36. T. 23. N. R. 2 E.
1.52 a Beech 20 in. diam.
13.36 a Red Oak 34 " "
24.94 a Beech 22 " "
33.88 a Red Oak 40 " "
37.75 a Burr Oak 44 " "
40.00 Set 2d Sec. post p. wh.
a Beech 18 in. diam. to. N. 23 W. 52 lks. dis.

T 23 N. R. 3 E. 2nd Mer. Indiana.

chs. lks.	
	a Beech 18 in. diam. bs. S 12 W. 14 lks.
51.50	Enter Creek 20. S. E.
52.00	Leave Do
56.50	a Blue Ash 26 in. diam.
66.70	Over Creek 20 W.
68.31	a Beech 30 in. diam.
79.19	a Do 9 " "
80.00	Set post Cor. to Secs. 25 & 36 p. wh.
	(No bearings given)
	Land Mod pine rate timber
	Beech, Oak, Sugar, Ash, Elm, Walnut pr.
	Undgth Spice, Paw-Paw pr

North	On E. Boundy. of Sec. 25 T. 23 N. R. 2 E.
6.12	a Sugar 28 in. diam.
18.42	a Do 36 " "
19.00	Offset (Swamp W.) 4.00 East
21.00	Offset West 4.00 to Line
40.00	Set 2nd Sec. post p. wh.
	a Beech 17 in. diam. bs. S. 75 W. 42 lks. dis.
	a Do 7 " " " N. 69 W. 30 " "
40.30	a Sugar 12 " "
57.93	a Beech 24 " "
62.88	a Hick. Elm 38 " "
72.44	a Beech 10 " "
80.00	Set post Cor. to Secs. 24 & 25 p. wh.
	a Beech 11 in. diam. bs. S 62 W. 12 lks dis
	a Do 10 " " " N. 43 W. 66 " "
	Land same as last

North	On E. Boundy. of Sec. 24 T. 23 N. R. 2 E.
.48	a Beech 14 in. diam.
3.52	a Hicky. 24 " "
15.01	a Do 14 " "
30.00	Enter Swamp W.
32.00	a Soft. Ash 9 in. diam.

T. 23 N. R. 3 E. 2nd Mer. Indiana.

chs. lks.

36.00 Leave Swamp.
40.00 Set 2nd Sec. post p. wh.
a Swp. Ash. 6 in. diam. bt. S. 73 W. 29 lks.
a B. Ash 7 " " " N. 70 W. 22 "
45.31 a Beech 8 " "
56.75 Enter Pond East
58.00 Leave do
67.42 a Sugar 10 in. diam.
75.08 a Hickory 20 " "
80.00 Set post Cor. to Secs. 13 & 24 p. wh.
a Beech 24 in. diam. bt. S. 61 W. 29 lks. &
a Poplar 40 " " " N. 22 W. 35 "
Level 2nd Rate Land. Timber
Beech. Elm. Ash &c. Underbrush.
Spice &c.

North On E. Boundary of Sec. 13 T. 23 N. R. 2 E.
12.40 Over Creek 12 lks. wide co. S. W.
23.16 a Beech 20 in. diam.
36.13 a Hickory Elm. 40 " "
40.00 Set 2nd Sec. post p. wh.
a Beech 10 in. diam. bt. S. 75 W. 23 lks.
a Hick. Elm. 24 " " " N. 79 W. 11 "
42.16 a Beech 30 " "
44.45 Over Creek 15 lks. wide co. E.
49.57 a Beech 20 in. diam.
53.50 a do 10 " "
77.27 a Burr Oak 48 " "
80.00 Set post Cor. to Secs. 12 & 13 p. wh.
a Beech 18 in. diam. bt. N. 73 W. 12 lks.
a B. Ash 5 " " " S. 62 W. 28 "
Land same as last

North On E. Boundary of Sec. 12 T. 23 N. R. 2 E.
0.81 a Beech 18 in. diam.
13.78 a W. Elm 13 " "

T. 23 N. R. 3 E. 2nd Mer. Michigan.

chs. lks.

24.65 a Honey Locust 30 in. diam.
34.69 a Beech 16 in. diam.
40.00 Set 2d Sec. post p. coh.
a Beech 10 in. diam. bt. S. 37 W. 35 lks. X
a Do 3 " " " N. 68 W. 10 "
54.40 Edge of Bluff S. W. 40 feet high
59.74 a B. Walnut 36 in. diam.
64.05 Enter Creek 14 - S. W. rapid
64.40 Leave Do
65.50 to foot of Bluff 40 feet high
72.63 a Beech 18 in. diam.
80.00 Set post Cor. to Sec. 1 X 12 p. coh.
a Beech 24 in. diam. bt. S. 88 W. 8 lks. dis.
a Do 16 " " " N. 64 W. 34 " "
Land level except at Bluffs -
first rate - Timber Beech. Elm. Ash.
Sugar. Walnut & Mapth. Spice &c
July 25. 1838

North On E. Boundy. of Sec. 1. T. 23 N. R. 2 E.
7.52 Over Spring Branch 4 N. E.
17.89 a Beech 24 in. diam.
21.70 a Do 22 " "
24.00 Top of Bluff N. E. 40 ft. high.
27.08 a Beech 16 in. diam.
28.00 Enter Pond N. E.
32.50 Leave Do
40.00 Set 2d Sec. post p. coh.
a Hackberry 30 in. diam. bt. N. 34 W. 15 lks. X
an Iron 8 " " " S. 43 W. 37 "
47.02 a Hackberry 38 " "
55.40 Enter N. Fork of Wild Cat Creek 1.00 W.
57.96 a B. Walnut 38 in. diam.
67.90 Over Spring Branch 1 E.
77.43 Intersected N. Boundy. 1.42 W. of Temp. post - when set post Cor. to Towns

76.

T. 23 N. R. 3 E. 2nd Mer. Indiana.

chs. lks.

23 & 24 N. Ranges 2 & 3 p. wh.
a Beech 30 in. diam. bt. S. 78 W. 47 lks. &
a W. Elm 7 " " " N. 46 E. 39 "
Hickory or Bast. Elm 22 " " S. 22 W. 62 "
Land same as last
Surveyed in 1838 by
Arthur St. Clair Vance
Deputy Surveyor.

Subdivision

Var. 4° 50' East

North Between Sections 35 & 36
17.22 a Sugar 18 in. diam.
18.50 a Creek 40 lks. wide co. W. one of the E. Forks of little Wild Cat Low Banks. Slow Current
31.00 a W. Oak 12 in. diam.
40.00 Set 2d Sec. post p. m. h.
an H. Elm 8 in. diam. bt. N. 86 E. 33 lks.
a do 12 " " " S. 12 W. 18 "
40.50 William Hutto's improvement, and claim. Section line passes through Center of Improvt. Claims N. W. 2d of Section 36
46.50 Lean Improvement
57.50 West Fork of Wild Cat 40 lks. wide Course N. E.
53.00 Wild Cat again co. N. W. Low Bank Slow Current
53.50 Lean Creek
69.00 a Sycamore 18 in. diam.
78.50 Intersected E. post of J. Willis Sawyers Improvement & Claim 10 acres W. & 3. East Claims N. E. 2d of Sec. 35.
80.00 Set post Cor. to Sec. 25. 26. 35. 36 p. wh.
a Beech 18 in. diam. bt. N. 5 E. 3. 16 dis.

T. 23 N. R. 3 E. 2nd Mer Indiana.

Chs. lks.

a Beech 20 in. diam. Br. S.16 E. 1.9 dis.
Land first 40.00 level 2nd
Rate Timber W. Oak. Poplar. Elm. & Beech.
Undgth. Spice & Beech — Last 40.00
same as the first

N.89.20 E. On Random Betw. Secs. 25 & 36 Var. 4°56' E.
3.00 Leave improvement
21.00 Marshy Land extends N. & S.
40.00 Set Temp. post
48.00 Leave Marshy Land
52.00 a Branch co. S. W.
80.00 Intersected E. Boundy. at post
Land first 21.00 Low & level 2nd
Rate — next 19.00 poor — next 8.00 poor &
Marshy — Last 32.00 Level 2nd Rate Timber
W. Oak. Poplar. Lynn. Beech. Undergrowth
P. Ash. Spice. Beech. Iron wd. &c — Also
Sup. Ash. Elm. Maple &c —

S.89.20 W. Established Line Betw. Secs. 25 & 36
24.05 a Sugar 18 in. diam.
36.00 a Lynn 20 " "
40.00 Set 2nd Sec. post pr. wh.
a Beech 18 in. diam. Br. S.63½ E. 30 lks. dis.
a W. Oak 8 " " " S.70 W. 30 " "
63.00 a Beech 10 " "
80.00 To Sec. Cor.

North Between Sections 25 & 26 Var. 4°50' East
3.00 Leave Improvement
18.00 a Hickory 18 in. diam.
32.18 a Beech 20 " "
37.50 a Branch 10 lks. wide co. W.
40.00 Set 2nd Sec. post pr. wh.
a Poplar 36 in. diam. Br. N.79 W. 20 lks. dis.

T. 23 N. R. 3 E. 2nd P.M. Ind.

chs. lks.

a Sugar 18 in. diam. to S. 12 E. 31 lks. dis.
49.20 a Beech 20 " "
68.46 a Poplar 40 " "
71.00 Swampy Land
80.00 Set Post Cor. to Secs. 23.24.25.26 p. wh.
a Hickory 18 in. diam. to S. 8 E. 17 lks. &
a Shag. Ash 10 " " " N. 43 E. 22 "
Land first 71.00 Open & Level
second rate - Timber W. Oak. Beech. Elm,
Poplar, & Hickory, Last 9.00 poor Timber
Shag. Ash. Sycamore & Maple.

N. 39° 20' E. On Random Betw. Secs. 24 & 25 Var. 4° 56' E.
8.00 Leave Marshy Ground
22.00 a Road co. N. 30° W.
65.00 a Branch co. N. E. & S. W.
70.00 a Road trans N. W.
79.92 Intersection E. Boundary 8 lks. N. of post
Land first 8.00 poor & Marshy
next 32.00 gently rolling second rate Timber
W. Oak. S. Ash & Beech. - Length Beech. P.
Ash. & Spice - Last 39.92 gently rolling
second rate - Timber W. Oak. Poplar.
Ash. & Beech. - Length. Beech & Spice -

S. 89° 24' W. Established Line Betw. Secs. 24 & 25
29.18 a Beech 12 in. diam.
36.00 a Poplar 24 " "
39.96 Set 2d Sec. post p. wh.
a Hickory - in. diam. E. 10 N. 10.04 dis.
a Buckeye 12 " " S. 12 E. 34 lks. dis.
61.08 a Beech 18 " "
79.92 to Sec. Cor.

North Between Sections 23 & 24 Var. 4° 50' East
2.35 Leave Swamp

T. 23 N. R. 8 E. 2nd. Mer. Indiana.

chs. lks.	
5.45	a W. Oak 24 in. diam.
18.00	Improvement & Claim. – Sec. Line passes through centre of Cornfield – House on W. side of Line & N.W. part of field
28.00	Leave Improvement
39.00	a Beech 20 in. diam. & a Road to N.W.
40.00	Set 2 Sec. post from wh.
	a Beech 8 in. diam. to S.29 E. 25 lks. dis.
	a W. Elm 6 " " " N. 8 W. 18 " "
56.10	a Beech 18 " "
71.18	a Poplar 20 " "
80.00	Set post Cor. to Secs. 13.14.23.24 p. wh.
	a Beech 12 in. diam. to N.39 E. 10 lks. dis.
	a W. Walnut 12 " " " S.84 W. 4 " "
	Land fine 40.00 level second rate – Timber W. Oak. Ash. & Beech. Undgth. Spice & Beech. – East 40.00 second rate – Timber W. Oak, Beech. Poplar & Lynn. No Undergrowth.

N.89.20 E.	On Random Betw. Secs. 13 & 24 Var. 4.56 E.
15.00	5.00 N. – N. Fork of Little Wild Cat – Asa James Paynes improvement – Contains 20. Acres – Claims the S.W. 2 of Sec. 13
24.50	N. Fork of Little Wild Cat Co. N.
25.84	Leave Wild Cat
46.00	W. Side of Phillips Smalls improvement Contains 18 N. of Line & 2 S. Claims S.E. 2 of Sec. 13. – Sec. Line runs 1.00 N. of S. part of improvement
57.50	Leave improvement
79.93	Intersect E. Boundy. 10 lks. S. of post
	Land all this mile gently rolling good second rate – Timber W. Oak. Poplar. Beech. Hickory & Lynn. Undergth. Beech & Ironwood –

80.

T. 23 N. R. 3 E. 2nd Mer. Indiana.

chs. lks.	
S.89.15 W.	Corner to Betw. Sec. 13 & 24
20.00	a Beech 12 in. diam.
39.96	Set 2d Sec. post p. wh.
	a Beech 8 in. diam. to N.67 W. 17 lks. &
	a do 10 " " " S.5 E. 28 "
— —	an A. Elm 20 " "
51.00	a Beech 10 " "
71.00	an Elm 16 " "
79.93	to Sec. Cor.

North Between Sections 13 & 14 Var. 4.50 East

3.00 Low Land

9.00 N. Fork of Little Wild Cat Co. N.80 W. Low Banks, Slow Current

9.50 Leave Little Wild Cat

17.50 a Beech 18 in. diam.

30.60 a Walnut 40 " "

35.50 a Road bears E & W.

40.00 Set 2d Sec. post p. wh.

a W. Oak 8 in. diam. to S.76 E. 32 lks. &

a do 10 " " " N.49 W. 40 "

Land fine 3.00 rolling Mixt

37.00 Low Level good second rate — Tim. G. Ash. Poplar. Walnut. Beech. & Hickory.

41.00 a Swamp bears E & W. water from 1 to 2 feet deep — Enlarge Eastward in Sec. 13. —

58.00 Leave Swamp

62.00 a Hickory 12 in. diam.

80.00 Established Cor. to Secs. 11.12.13.14 p. wh.

a Beech 12 in. diam. to N.44 E. 10 lks. &

a do 8 " " " S.60 W. 27 "

Land last 22.00 inclining to be wet second rate — Timber W. Oak & Beech. Mixth. Beech & Spondor — Sup. poor — Tim. Lynn. Maple & Shell bark Hickory.

T. 23 N. R. 3 E. 2nd. Mer. Indiana.

chs. lks.	
N.89.20 E.	On Random Betw. Secs. 12 & 13 Var. 4.50 E.
6.50	a Branch 12 lks. wide co. N.W. Outlet from Swamp
14.00	a Road bears S.E. & S. 3.00 bears S.W.
20.00	3.00 S. Large Swamp
55.00	Swamp again
70.00	Clear Swamp
79.81	Intersected E. Boundary 50 lks. S. of Cor.

Land fine 55.00 Level inclined to be wet 2nd Rate Timber Oak & Beech. Undgth. Beech & Sprouts. Swamp poor Timber Maple & Sycm. water 1 foot deep. Last 10.00 Land level 2nd Rate. Timber W. Oak & Beech. Undgth as before

---

S.89.00 W.	Establishing Line Betw. Secs. 12 & 13
31.00	a Beech 18 in. diam.
39.18	a do 20 " "
39.90	Set 2d. Sec. cor. p. wh.
	a Beech 8 in. diam. bt. N.25 E. 20 lks. dis.
	a do 12 " " " S.2 E. 29 " "
79.81	to Sec. Cor.

North	Between Sections 11 & 12 Var. 4.50 East
18.30	a Branch 10 lks. wide co. W.
20.00	a Sycm 18 in. diam.
25.00	Low Swampy Land extends E. & W.
40.00	Set 2d. Sec. cor. p. wh.
	a R. Elm 8 in. diam. bt. N.21½ E. 9 lks. dis.
	an S. Ash 12 " " " S.78 E. 11 " "

Land fine 25.00 Level 2nd rate Tim. W. Oak, Beech & Hickory. Last 15.00 Swampy poor Timber Sup. Ash. Elm & Maple

46.00	Clear Swampy Land
54.00	a Creek pr. Sup. 50 lks. wide co. E. Low Banks. Slow Current

T. 23 N. R. 3 E. 2nd Mer. Indiana.

chs. lks.	
67.25	a Sush. Ash 10 in. diam.
80.00	Set post Cor. to Secs. 1. 2. 11 & 12. p. wh.
	a Beech 20 in. diam. Bs. N. 25 W. 18 lks. &
	a do 12 " " " S. 55 E. 39 "
	Land first 6.00 poor third rate Timber Sush. Ash. Elm. & Maple. Last 34.00 incline to be wet poor second rate Timber Oak. Beech. Lynn. Sush. Ash. & Elm. covered with water occasionally Undgth. P. Ash. Beech & Ironwood
N. 89° 20' E.	On Random Betn. Secs. 1 & 12 Var. 4° 56' E.
10.00	a Creek 15 lks. wide co. N. 10 W. Low Banks. Rapid Current
34.00	Kokomo Creek co. N. Low Banks. Slow Current
34.80	Lear Creek } high water in pocket
37.00	Mouth of Branch on S. side of Creek
38.00	Creek again co. S. W.
38.75	Lear Creek Low Banks. Slow Current
51.00	Creek again co. N. 60 W.
52.00	Lear Creek
79.96	Intersection E. Boundy. 75 lks. S. of post
	Land first 18 gently rolling 2nd Rate Timber W. Oak & Beech. Next 34 Level Land 2nd Rate Timber Oak. Lynn. Ash & Beech. Last 27.36 more Elevated 2nd Rate W. Oak & Beech. Undgth Spice & Beech.
S. 88° 48' W.	Establishing Line Betn. Secs. 1 & 12
20.56	a Beech 30 in. diam. } Box Alder 12 S. 77 E. 20
33.00	a Maple 18 " " } do 8 S. 28 W. 43
39.96	Establishing 2nd Sec. post p. wh.
	a Beech 8 in. diam. Bs. N. 18 E. 20 lks. dis.
	a W. Elm 36 " " " S. 31 E. 38 " "

T. 23 N. R. 3 E. 2nd Mer. Indiana.

Chs. lks.	
60.19	a Beech 12 in. diam.
75.06	a W. Elm. 12 " "
79.96	to Sec. Cor.

North	Between Sections 1 & 2 Var. 4°50' E.
10.00	a Beech 18 in. diam.
12.50	a Branch 10 lks. wide co. W.
18.00	a Hickory 12 in. diam.
25.00	Branch again 10 lks. wide co. N. E.
30.00	Branch again co. N. 20 W.
34.00	Branch again " N. E.
38.00	Branch again " N. 15 W.
50.00	Descent of Bank 10 feet
51.50	Foot of hill
54.00	Kokomo Creek co. W.
54.75	Leave do
56.00	Small Creek. 25 lks. fr. North
61.00	Leave do
62.50	South Boundary of La-Fontaine's Reserve at Rapids of Wild Cat
	No bearings to post in Reserve whereby I could be certain of its right location.
	Leave pine 12.50 x E. & W. of Branch.
this	gently rolling good second rate Timber
62.60.	W. Oak. G. Ash. Poplar. & Beech. — Undergth.
	Spice & Beech. Last 50.10 level 2nd Rate —
78.30	Intersected at post in Reserve

South	Established Line Betw. Sec. 1 & 2
	Made bearings to Cor. on S. Boundary of Reserve for Sections 1 & 2 fr. wh.
	a W. Beech 6 in. diam. to S. 45 W. 25 lks.
	a Box-Alder 8 " " " N. 35 E. 15 "
22.50	Set 2d Sec. post fr. wh.
	a Beech 8 in. diam. to N. 14 E. 20 lks. x
	a W. Elm 36 " " " S. 31 E. 38 "

T. 23 N. R. 3 E. 2nd Mer. Indiana.

Chs. lks.	
62.50	to Sec. Cor.
	Measured N. along S. Boundary of Reserve 17.80 to S.W. Cor.
	Dec. 8. 1846.

North	Between Sections 34 & 35 Var. 4.30' E.
5.00	S. Fork of Wild Cat Co. N. 80 E. Low banks. Overflows. Slow Current. Channel supposed to be 100 wide
9.00	Leave Wild Cat. Level wet Land Extends E. & W.
16.00	a Poplar 40 in. diam.
33.00	a Maple 18 " "
40.00	Set 2 Sec. post p. wh.
	a Beech 10 in. diam. bs. North 2 lks.
	a Lynn 20 " " " S. 77 E. 21 "
47.08	a Beech 10 " "
50.00	a Road bears S. 60 W.
59.00	a Creek 25 lks. wide co. E. Low inundated bank slow Current, Outlet from Large Maple Swamp. Westward
61.50	a Beech 20 in. diam.
80.00	Established Cor. to Secs. 26. 27. 34 & 35. p. wh.
	a Sup. Elm 8 in. diam. bs. N. 39 W. 25 lks. &
	a Do 10 " " " N. 58 E. 28 "
	Land fine 40.00 Low & wet poor second rate. Timber Oak. Beech. Lynn. & Maple. Mngth. P. Ash. & Beech.
	Last 40.00 as before. Timber Beech. Maple. Sup. Ash. & Hickory. Mngth. P. Ash.

North	89.20 E. On Random Betn. Secs. 26 & 35. Var. 4.56' E.
25.00	3.00 North John Brouchard's improvement in the S.W. 2 of Sec. 26. contains 50.00 acres and a Log Cabin
26.00	wet Swampy Land

T. 23 N. R. 3 E. 2nd Mer. Indiana.

ch. lks.

31.00 a Branch 10 lks. wide co. N. 60 E.
40.00 Set Temp. Pos.
Land first 26.00 Line inclined to be wet poor second rate Timber Oak, Beech, & Hickory, Next 14.00 Swampy poor
43.00 Dry Prairie
44.00 a Road bears North
52.00 South Fork of Little Wild Cat co. N. W.
Low Banks Slow current
54.00 Leave Wild Cat
60.00 West side of Geo. Prince improvement
Sec. Line passes through S. End of Improvt. cuts off 2 Acres contained N. of Line 30 acres
68.00 Leave Prince improvement
75.00 Wm. Sawyers improvement
80.35 Intersection N. & S. Line 10 lks. N. of post
Land first 3.00 Swamp Timber S. Ash & Maple Last 37.00 Line 2nd rate, timber W. Oak, Beech & Hickory, Undergth. P. Ash & Briar

---

T. 89 24 W. Established Line betw. Sec. 26 & 35.
31.26 a Beech 18 in. diam.
40.17 Set 2d Sec. post p. wh.
a Beech 10 in. diam. bs. S. 89 W. 13 lks.
a Hickory 12 " " " S. 34 E. 25 "
80.30 to Sec. Cor.

North Between Sections 26 & 27 Var. 4° 30' E.
10.22 a Soft Elm 10 in. diam.
32.50 a Beech 18 " "
40.00 Set 2d Sec. post p. wh.
a Beech 10 in. diam. bs. S. 62 E. 31 lks. &
a Lynn 10 " " " N. 70 W. 14 "
Land first 40.00 Line inclined

T. 23 N. R. 3 E. 2nd Mer. Indiana.

chs. lks.

to be wet - partly inundated at present
Westward - second rate - Timber
Sup. Ash. Beech. Lynn. & Hickory.
60.50 a Branch 6 lks. wide co. E.
66.51 a Sugar 18 in. diam.
69.00 Lean wet Land
71.09 a Beech 20 in. diam.
80.00 Established Cor. to Sec. 22.23.26.27 pr. wit.
a Beech 12 in. diam. N. N. 64 E. 22 lks.
a W. Elm 12 " " " S. 28 W. 25 "
Land fine 30.00 in last 2nd Sec.
same as the first in quality - Timber
Beech. Sugar. Hickory Sup. Ash.
& Lynn. Unagth. Spice & P. Ash.
Last 10.00 Dry Land good 2nd
rate Timber W. Ash. Poplar. and
Beech -

N. 89° 20 E. On Random Betr. Sec. 23 & 26 Var. 4° 56' E.
3.00 S.W. Corner of Woods pasture - On S.
side of Woods pasture a Lane, and
farm in the N.W. 2nd of Sec. 26 belong-
ing to Barnet Brohard - containing
20 Acres -
25.00 Lean pasture - belongs to J. West
37.00 Began descent of hill 15 feet high
38.00 Foot - Elevation 70°
38.50 E. Fork of Wild Cat co. N. Low Banks.
39.10 Lean Wild Cat
40.00 Set Temp. post
53.00 Ascent of hill - Elev. 25°
53.00 Summit
65.00 a Swamp. Extends E.
80.40 Intersected N. & S. Line 5 lks. S. of post
Land fine 65 chs. Surl & dry 2nd
rate - Timber W. Oak. Beech Ash. and -

T. 23 N. R. 3 E. 2nd Mer. Indiana.

chs. lks.

Sugar, Scattering undgth, Spice, Birch, and Iron wd. East 15.40 Swamp, poor
Lane East 25.00 gently rolling
Timber W. Oak, Beech & Hickory. East 15.00 poor – S. Ash, Elm, & Maple –

S. 89. 18 W. Established Line Betn. Secs. 23 & 26
19.15 a Beech 14 in. diam
40.20 Set 2 Sec. post p. wh.
a Beech 8 in. diam. bs. S. 43½ E. 12 lks. dis.
a Mulberry 10 " " " N. 73 W. 23 " "
62.19 a Beech 12 " "
80.40 to Sec. Cor.

North Between Sections 22 & 23 Var. 4.50 E.
10.00 5.00 E. – N.W. Cor. of Enclosure containing 20.00 Acres – bing on the S.W. 2 of Sec. 23.
27.13 a Hickory, Elm, 18 in. diam.
36.00 South side of Cornfield, Extends West 3.00 & East 15.00 claimed by Wm. McCrary
40.00 Set 2 Sec. post p. wh. (in field)
a Beech 10 in. diam. bs. S. 39 W. 9 lks. dis.
a do 18 " " " N. 7 W. 9.84 " "
49.50 Clear Cornfield – 15.00 E. from 2 Sec. post – Wm. McCrary's House
56.83 a Sugar 24 in. diam.
68.00 Gradual descent, Elev. 5 – & Road bs. N. 72 E.
69.00 Bottom Lane
80.00 Set post Cor. to Secs. 14, 15, 22, 23 p. wh.
a Hackberry 10 in. diam. bs. S. 13 E. 20 lks. &
a W. Walnut 8 " " " N. 52 W. 34 "
Lane fine 68.00 Land good
2nd Rate – Timber W. Oak, G. Ash, Sugar, & Birch – Undgth Spice – East 15.00 Low bottom Land Rich Soil & Timber Hackberry, Walnut, Lynn, & Buckeye – Dec. 9, 1846. –

T. 23 N. R. 3 E. 2nd Mer. Indiana.

Chs. lks.	
N.89.20 E.	Between Sect. 14 & 23 (Random) Var. 4°56' E.
1.50	S. Fork of Wild Cat co. N.W. Low Banks. Rapid Current, subject to inundation
2.62	Leave Creek
5.00	Ascent of Spurs Elev. 20 ft.
6.50	Summit
15.00	a Road bears N.80 E.
40.00	Set Temp. post
41.00	W. side of Cornfield belonging to J. Randolph - Line passes through centre of field - Contains 10 acres. - South of this cornfield, a farm on the NE. 2 of Sec. 23. belonging to John Lane containing 18 acres, & Log House
50.00	Leave Cornfield
55.00	a Road bears N. E. from Improvement
80.42	Intersects N. & S. Line 42 lks. S. of post Lane post 5.00 Low Bottom Rich soil - last 5.40 gently rolling 2nd Rate - Timber W. Oak, Beech & Lyon. Undgth - Beech & Spice -
Note by Recorder	See page 119 for Correction

North	Between Sections 14 & 15 Var. 4°56' E.
5.00	S. Fork of Wild Cat co. N.20 W. Low Banks. Slow Current
5.50	Leave Wild Cat
8.00	Wild Cat again co. S. E. 8.50 Leave right Bank
10.50	Wild Cat again co. N.W.
11.00	Leave Wild Cat
14.00	Cross Branch of Wild Cat 20 lks. co. N. W.
15.00	Ascent of Bluff 10 ft. Elev. 80 ft.
17.50	a Beech 10 in. diam.
20.50	Descend Hill 8 ft. Elev. 50 ft.
25.60	North Fork of Wild Cat co. N.58 W. Low Banks. Slow

T. 23 N. R. 3 E. 2nd Mer. Indiana.

Chs. Lks.

26.20 Leave East Fork
28.00 Ascent of hill 1.00 Elev. 20°
34.00 a Road bears E. & W.
40.00 Set 2d Sec. post p. m. h.
a Beech 8 in. diam. Bt. N.40 W. 28 lks. dis.
a G. Ash 10 " " " S.17 ½ E. 17 " "
41.00 Open Level wet Land
61.08 a Beech 24 in. diam.
80.00 Set post Cor. to Secs. 10. 11. 14 & 15 p. m. h.
a W. Elm 20 in. diam. Bt. S.40 E. 25 lks. &
a Beech 18 " " " N.7 ½ W. 43 "
Lance fire 28.00 Low Bottom subject to inundation - rich Soil - Timber Buckeye & Lynn. Next 13.00 rolling 2nd Rate - Timber Oak, Beech, Lynn, and white Elm.

N.89° 20' E. On Random Bttn. Secs. 11 & 14 Var. 4° 50' East
40.00 Set Temp. post
65.00 5.00 N. Small improvement and Cabin belong to Stephen Lane - Claims S. E. 2d of Sec. 11
80.50 Intersected N. & S. Line at post
Lance all this 80.00 Level & wet - Water 6 in. deep - Blue Clay Soil poor 3rd Rate - Timber W. Oak, Beech, Red & G. Ash - Length Spice, Beech & Ironw.

S.89° 20' W. Established Line Bttn. Secs. 11 & 14
31.93 a Beech 10 in.
40.25 Set 2d Sec. post p. m. h.
a Beech 8 in. diam. Bt. N.39 W. 20 lks. &
a B. Oak 10 " " " S.12 E. 26 "
47.19 a Beech 24 " "
Last 39.00 Open level wet Land - poor 2nd Rate - Timber Oak, Beech Lynn, & White Elm —

90.

T. 23 N. R. 3 E. 2nd Mer. Indiana.

chs. lks.

69.05 a W. Oak 20 in. diam.
80.50 to Sec. Cor.

North Between Sections 10 & 11 Var. 4°50' East
7.13 a Hickory 12 in. diam.
13.35 a Beech 18 " "
20.00 State Road from Kokomo to Michigan Town bears S. 25 W.
31.65 a Beech 12 in. diam.
40.00 Set 2" Sec. post p. wh.
a Sugar 8 in. diam. to N. 85 E. 4 lks. &
a G. Ash 20 " " N. 28 W. 22 "
51.16 a Hickory 14 " "
52.00 a Branch 10 lks. wide co. W.
73.00 a Beech 18 in. diam.
80.00 Set post Cor. to Sec. 2. 3. 10. 11 p. wh.
a Beech 12 in. diam. to S. 47 1/2 E. 55 lks. &
a Do 12 " " N. 56 1/2 W. 2 "
Land fair 40.00 low level & wet
Timber G. Ash, S. Ash, Beech & Hickory.
Undgth. F. Ash, Spice, Beech & Ironwd.
Last 40.00 wet poor 2nd Rate - Timber
S. Ash, Beech, Hickory, & Sycm.

N. 89° 20' E. On Random Betn. Secs. 2 & 11. Var. 4°50' E.
21.50 a Road bears S. 10 E.
23.00 State Road from Kokomo to Michigan Town bears S. 25 W.
80.50 Intersects N. & S. Line 10 lks. W. of poor Land level & wet 3rd Rate -
Timber W. Oak, Ash, Beech & Hickory.
Undgh. Beech & Ironwd.

S. 89° 25' W. On True Line Betn. Secs. 2 & 11
18.00 a Beech 20 in. diam.
37.82 a R. Elm 12 " "

T. 23 N. R. 3 E. 2nd Mer. Indiana.

40.25 Set 2d Sec. post p. mh.
a Hickory 18 in. diam. Bt. N. 32 E. 14 lks. dis.
a. Do 12 " " " S. 76 W. 44 " "
71.10 a Beech 24 " "
80.50 to Sec. Cor.

North Betw. Sections 2 & 3. Var. 4°50' East
35.15 a Road bears E. & W.
40.00 Set Temp. post
46.00 County Road bears E. & W.
61.00 Clear wet Land
71.00 Summit of Steep Bluff 15 ft. high
elevation 80'.
71.15 a Bayou S. of Wild Cat N. Bank Low
co. West Rapid Current
72.00 Clear Bayou
80.30 Intersected N. Boundary 50 lk. W. of post
Cor. to Secs. 34 & 35 T. 24 N. R. 3 E.
Land first 40.00 level and wet
poor Timber Elm. W. Oak & Beech
Unigth. Spice, P. Ash. & Beech Next 20.00
Level & wet Next 11.00 rolling. all
2nd Rate Land Last 8.00 Level 2nd Rate
Land Tim. W. Oak. Elm & Beech.

S. 25 W. Establishing Line Betw. Secs. 2 & 3
* 19.18 a Beech 26 in. diam. } * Beech 24 S. 56 E. 33 lks.
30.00 a W. Elm 10 " " } Buckeye 10 S. 76 W. 33 "
40.30 Set 2d Sec. post p. mh.
a B. Oak 12 in. diam. Bt. N. 18 E. 18 lks. dis.
a W. Elm — " " " N. 57 W. 7 " "
58.00 a Beech 20 " "
74.15 a Lynn 12 " "
80.30 to Sec. Cor. Sept. 10 — 1846

North Between Sections 33 & 34 Var. 4°50' E.

T. 23 N. R. 3 E. 2nd. Mer. Indiana.

chs. lks.

9.41 a W. Oak 36 in. diam.
22.00 5.00 E. Cornfield contains 8 Acres
26.00 a Poplar 30 in. diam.
30.00 a Maple Swamp, extends E. & W.
40.00 Set 2d. Sec. post p. wh.
a Maple 19 in. diam. to N. 6 E. 16 lks. dis.
a Sup. Elm 8 " " " S. 69 W. 12 " "
70.00 Near Maple Sup. & not Lane continues
water 1 to 2 ft deep in Maple Sup.
76.00 a Beech 18 in. diam.
80.00 Set post Cor. to Sec. 27. 28. 33. 34 p. wh.
a Beech 12 in. diam. to N. 9 E. 13 lks. &
a Do 10 " " " S. 86 W. 10 "
Lane fine 50.00 Dry level 2nd
Rate - Timber W. & R. Oak. Poplar and
Beech - Undgth. Beech & Ironw.
Last 10. chs. level 2nd Rate -
Timber Beech & Oak. Undergrowth
as before

N. 89° 20' E. On Random Bet. Sec. 27 & 34 Var. 4° 56' E.
40.00 Set Temp. post
42.00 5.00 S. a Maple Swamp
80.20 Intersected N. & S. Line at post
Lane whole 80.20 Low & level
inclined to be wet poor 2nd Rate - Mostly
covered with water at present - Timber
Oak. Hickory & Beech principally.
Undgth. Beech & Ironwood

S. 89° 20' W. Establishing Line Bet. Sec. 27 & 34
36.29 a Beech 24 in. diam.
40.10 Set 2d. Sec. post p. wh.
a Beech 10 in. diam. to S. 4 E. 13 lks. dis.
a Sym 18 " " " N. 19 W. 22 " "
51.08 a Do 12 " "

T. 23 N. R. 3 E. 2nd Mer. Indiana.

Chs. Lks.	
69.04	a Beech 18 in. diam.
80.20	to Sec. Cor.

North	Between Sections 27 & 28 Var. 4.56 East
16.22	a Beech 18 in. diam.
35.16	a Do 21 " "
40.00	Set 2 Sec. pos. p. wh.
	a Beech 12 in. diam. bt. S. 83 W. 34 lks. dis.
	a Walnut 8 " " " N. 1½ E. 34 " "
47.60	Dry Ascending Land
65.00	S.W. Cor. of E. Youngs improvement —
	Log Cabin 3.00 East of Line — Claims
	N.W. 2 of Sec. 27 — Impvt. contains 8 acres —
74.00	Leave N.W. Cor. of Improvement
80.00	Establishing Cor. to Secs. 21. 22. 27. 28 p. wh.
	a W. Oak 30 in. diam. bt. S. 44 W. 10 lks. dis.
	a Beech 18 " " " N. 8½ E. 18 " "
	Land fine 47.00 wet poor
	Timber Hickory & Beech principally —
	Considerable of Old fallen Timber —
	lays promiscously — Last 33.00 Level
	2nd Rate timber W. Oak. Hickory & Beech.
	Undergth Spice & Beech. scattering

N. 89.20 E.	On Random Betn. Secs. 22 & 27 Var. 4.56 E.
10.00	a Branch 6 lks. wide co. N.
40.00	Set Temp. pos. & wet Land
79.92	Intersecting N. & S. Line 20 lks. N. of pos
	Land fine 40.00 Dry good 2nd
	rate — Timber W. & R. Oak. Beech. Hickory.
	Poplar. — Undergth. Spice. Beech & Dogwood
	Last 39.92 Level inclined to be wet
	2nd Rate Timber W. Oak. Beech. Maple. &
	Gum — Undergth as before

S. 89.20 W.	Establishing Line Betn. Secs. 22 & 27

T. 23 N. R. 3 E. 2nd Mer. Indiana.

Chs. lks.

19.00 a Beech 20 in. diam.
31.72 a Hickory 12 " "
39.96 Set 2d Sec. post p. wh.
a Beech 20 in. diam. bt. N. 64 W. 5 lks. &
a Do 18 " " " N. 35 E. 40 "
48.35 a Do 12 " "
71.00 a W. Oak 24 " "
79.92 to Sec. Cor.

North Between Sections 21 & 22 Var. 4°50' E.
10.75 a Sugar 24 in. diam.
22.00 a Branch 8 lks. wide co. N. W.
30.00 a Hickory 18 in. diam.
40.00 Set 2d Sec. post p. wh.
a Beech 8 in. diam. bt. N. 54 W. 13 lks. &
a Do 12 " " " N. 72 W. 10 "
50.00 5.00 E. John Eulets improvement
contains 8 Acres
67.25 a Hickory 24 in. diam.
75.00 Branch 8 lks. wide co. N. 10 W.
78.00 Branch again " N. 20 E.
80.00 Set post Cor. to Secs. 15. 16. 21. 22 p. wh.
on H. Elm 24 in. diam. bt. N. 73 E. 15 lks. &
on R. Oak 20 " " " N. 57 W. 27 "
Land fair 40.00 inclined to
be wet cold soil, poor 2nd Rate Timber
Hickory & Beech — Undergth Beech & Ironw.
East 40.00 Dry & Level — Timber W.
Oak. Lynn. Hickory & Beech. Undergth
Ironw. Spice & Beech —

N. 89. 20 E. On Random Betw. Secs. 15 & 22 Var. 4°56' E.
1.00 a Branch 8 lks. wide co. N.
40.00 Set Temp. post
46.50 W. side of improvement & neighborhood
Road bears E. — Belongs to Sazima —

T. 23 N. R. 3 E. 2nd Mer. Indiana.

chs. lks.	
	Contains 25. Acres — Sec. Line runs along S. side with Road
70.00	Leave Improvement & Road to S. E.
80.10	Intersected N & S. Line 33 lks. N. of post
	Land level 2nd Rate — Timber W. Oak, Hickory, & Beech — Undergth. Beech & Poplar "

S 89° 35' W.	Established Line Betw. Secs. 15 & 22
8.50	a Beech 18 in. diam.
30.00	a Dead Beech 12. "
40.05	Set 2d Sec. post p. wh.
	a Sugar 24 in. diam. Bs. S. 78 E. 9 lks. &
	a Beech 8 " " " N. 49 W. 35 "
49.46	a Do 8 " "
69.10	a Do 20 " "
80.10	To Sec. Cor. Dec. 11. 1846

North	Between Sections 15 & 16 Var. 4.50 East
15.00	a Branch 6 lks. wide co. N. W.
22.00	Summit of Hill 15 ft. Elev. 60 ft.
22.50	Foot of Do
25.50	State Road bears E. & W.
32.00	Main Stream of Little Wild Cat co. West
	Low Banks — rapid Current
33.00	Leave Main Stream
40.00	Set 2d Sec. post p. wh.
	a Beech 8 in. diam. Bs. N. 85 E. 10 lks. dis.
	a Sugar 20 " " " S. 21 W. 39 " "
41.00	Shanks farm — Sec. Line pass through Middle of farm — Contains 30 Acres a hewed Log House on E. part
46.50	Leave farm, & gradual Elev. of Land
60.00	a Beech 24 in. diam.
72.00	a Hickory 10 " "
80.00	Set post Cor. to Secs. 9. 10. 15. 16 p. wh.

T. 23 N. R. 3 E. 2nd Mer. Indiana.

Chs. lks.

a Burr Oak 40 in. diam. to. S.16 W. 15 lks. x
a W. Elm 20 " " " N.40 W. 12 "
Land first 22.00 Level, next
10.00 Broken — All 2nd Rate — Timber
Oak & Beech — next 7.00 Low Bottom Rich
Soil — Last 40.00 Level pon Summit
of gradual rise — inclined
to be wet 2nd Rate — Timber W. & Burr
Oak, Beech & Hickory — Undergth.
Beech & Prom.

N.89°35' E. On Random Betn. Secs. 10 & 15 — Var. 4°56' E.
30.00 4.00 N. of Line Swamp bears E. with Sec. Line
41.00 Set Temp. pos.
45.00 Intersect Swamp bears S. E.
60.00 Leave Sup. wet Land continues
70.00 State Road bears N. 10 E.
80.40 Intersected N. & S. 3 lks. N. of pos.
Land first 45.00 2nd Rate —
Timber W. Oak, Ash & Beech — Undergth.
P. Ash, Beech & Prom. Swamp pos.
Timber S. Ash, Maple & S. Elm. Last 20.40
wet level 2nd Rate — Timber S. Ash, W.
Oak & Beech — Undergth. as before.

S.89°36' W. Established Line Betn. Secs. 10 & 15
15.00 a Swamp Ash 15 in. diam.
40.00 Set 2d Sec. pos. p. wh.
a Beech 12 in. diam. to. N.21 E. 12 lks. x
a Do 14 " " " S.24 E. 55 "
61.95 a Do 24 " "
73.00 a W. Oak 20 " "
80.40 to Sec. Cor.

North Between Sections 9 & 10 Var. 4°56' East
10.35 a Beech 18 in. diam.

T. 23 N. R. 3 E. 2nd Mer. Indiana.

ch. lks.

11.50 a Swamp, bears E. & W.
15.00 Clear Swamp E.
21.00 a Swamp Extends E. & W.
27.00 Clear Swamp
36.50 a Poplar 36 in. diam.
40.00 Set 2nd Sec. post pr. wh.
a Beech 20 in. diam. Bts. N. 1 W. 14 lks. dis.
a Do 18 " " . S. 53 pr. E. 24 " .
47.10 a Do 12 " "
51.00 a Do 12 " "
63.00 a Poplar 36 " "
80.00 Set post Cor. to Secs. 3. 4. 9. 10 pr. wh.
a Hackberry 20 in. diam. Bts. N. 39 W. 8 lks. dis.
a Beech 20 " " " S. 21 E. 18 " "

Land fine 10.00 and next 9.00 Betw. Supv. Level 2nd Rate – Timber W. Oak & Beech – Undergrowth Beech. P. Ash & Iron? Swamp poor Timber Sup. Ash. Elm. & Maple. – Water from 1 to 2 feet deep – Last 53.00 level second rate – Timber Oak. Poplar. Hickory. Beech. Undgth – Spice and Beech –

N. 89° 35' E. On Random Betw. Secs. 3 & 10 Var. 4° 56' E.
13.00 a Maple Sup. bears N. & S. – North part of Large Swamp
22.50 Clear Maple Swamp & wet Land continues
40.00 Set Temp. pos
51.00 Small Branch co. N. 20 W.
60.00 a Small Creek 20 lk. wide co. N. W.
80.96 Intersected N. & S. Line 4 lks. S. of post –

Land fine 13.00 Level & Dry 2nd Rate – Last 67.00 level & wet 2nd Rate – Timber W. Oak. Lynn & Beech Undgth. Spice & Beech. Swamp poor – Large Southward –

T. 23 N. R. 3 E. 2nd. Mer. Indiana.

chs. lks.	
S. 89° 35' W.	On True Line betn. Secs. 3 & 10
18.36	a Beech 18 in. diam.
29.46	a R. Elm 24 " "
40.48	Set 2d. Sec. post p. wh.
	a Beech 14 in. diam. Bs. S. 86½ W. 5 lks. &
	an Ironw. 8 " " " S. 6½ E. 12 "
61.00	a Maple 10 " "
76.00	a Beech 18 " "
80.96	to Sec. Cor.

North	Between Sections 3 & 4 Var. 4° 50' E.
5.00	a Road bears N. 70 W.
15.00	a Branch 6 lks. wide bears N. W.
20.00	a Road bears West
22.34	a Beech 12 in. diam.
32.00	a Branch 6 lks. wide co. N.
38.00	State Road bears West
40.00	Set Temp. post
53.00	Began Ascent of hill Elev. 20°
56.00	Foot of Hill
67.00	Left Bank of Big Wild Cat co. W.
	Low Banks - Rapid Current
69.20	Right Bank - Low Bottom Land
71.00	Ascent of Hill Elev. 65°
72.00	Summit of Hill
80.17	Intersected N. Bounds. 83 lks. W. of post
	Land fine 40 to p. gently rolling
	2nd. Rate - Timber W. Oak Elm. & Beech.
	Undgth Ironw. & Beech. Last 40.17
	Rolling good 2nd. Rate - Timber W. Oak,
	Poplar & Beech. Undgth as before
	* Beech 16 S. 38 E. 35 - a 40.15 S. 54 W. 6 lks.

S. 35 W.	Established Line Betn. Secs. 3 & 4
* 31.00	a Beech 18 in. diam.
40.17	Set 2d. Sec. post p. wh.
	an Ironwood 8 in. diam. Bs. S. 40 E. 6 lks. &

T. 23 N. R. 3 E. 2nd Mer. Indiana.

Chs. Lks.	
	a Beech 6 in. diam. to. N.24½ W. 5 lks. dis
65.00	a W. Oak 18 " "
80.17	to Sec. Cor. Dec. 12. 1846.

North Between Sections 32 & 33 Var. 4°50' E.
6.73 a W. Oak 36 in. diam.
12.15 a Do 24 " "
17.50 To S. side of Farm belongs to Joseph Orr
Contains 30 Acres – Sec. Line passes through
Middle of Improvement – a Horse
Nose of Line
30.00 Lean Farm
40.00 Set 2d Sec. Cor. p. wh.
an Ironwd 8 in. diam. to. S.65½ E. 25 lks. &
a S. Ash 8 " " " N.45½ W. 22 "
45.50 5.00 E. – Improvement belongs to J. Scott
Small Log Cabin – Claims N.W. Qr. Sec. 33
49.50 a Poplar 24 in. diam.
66.84 a H. Elm 12 " "
68.00 Wet Land – or W. end of Large Swamp
80.00 Established Cor. to Sec. 28.29.32.33 p. wh.
a Swamp Ash 10 in. diam. S.21 E. 6 lks. &
a Lynn 8 " " N.1½ W. 39 "
Land fine 68.00 gently rolling
2nd Rate – Timber W. Oak, Beech, Ash, &
Poplar. Undgth. P. Ash, Beech & Ironwd.
Last 14.00 Wet & poor – Timber Swamp
Ash, Maple & Lynn –

N.89°20' E. On Random Betn. Secs. 28 & 33 Var. 4°56' E.
10.00 Outlet 8 lks. wide p. Large Swp. S.E. – co. N.W.
12.00 Lean wet ground
70.00 N. side of Large Swamp
78.00 Lean Swamp
80.10 Intersected N. & S. Line 60 lks. S. of post
Land N. of Line 2nd Rate – Timber

T. 23 N. R. 3 E. 2nd Mer. Indiana.

chs. lks.	
	Oak, Ash & Beech — Wet Land poor — Timber Sup. Ash, Elm & Maple. Undergth. P. Ash, Beech & Inoov. — Land betw. Sec. Lin & Swamp. Wet & poor — 2nd Rate — Timber Oak, Beech, Lynn. and Swamp Ash.
S. 88° 56' W.	On True Line betw. Sec. 28 & 33
20.10	a Poplar 24 in. diam.
37.00	a Beech 18 " "
40.05	Set 2 Sec. post p. wh.
	a Beech 18 in. diam. to S. 65 W. — lks.
	a Do 12 " " " S. 68 E. 33 "
59.60	a Do 24 " ,
80.10	to Sec. Cor.
North	Between Sections 28 & 29 Var. 4° 50' E.
8.00	Outlet from Swamp Co. West
12.00	Lean wet Land
20.00	a Beech 10 in. diam.
33.94	a Do 20 " "
35.00	Rolling Land
40.00	Set 2 Sec. post p. wh.
	a Beech 12 in. diam. S. 09 p. W. 14 lks. &
	a Do 24 " " N. 50 E. 33 "
53.26	a Sugar 24 " "
55.00	Low Swampy Land Extend Ex N. W.
75.00	Lean Swamp Land
76.00	a Road bears Ex W. to improvement
80.00	Established Cor. to Secs. 20. 21. 28 & 29 p. wh.
	a Beech 12 in. diam. to S. 14 p. W. 8 lks. dis.
	a Do 8 " " " N. 19 E. 43 " "
	Land first 12.00 wet poor — Timber Sup. Ash, Maple, & Lynn. — Next 23.00 Level. 2nd Rate — Next 26.00 rolling first rate — Extend Ex W. Timber W. Oak. Walnut,

T. 23 N. R. 3 E. 2nd Mer. Indiana.

chs. lks.

Poplar & Beech. Mngth. Spice. P. Ash. & Beech.
Swampy Land poor. Last 5.00 inclined
to be wet. Second rate. Timber as before

N. 89° E. On Random Betn. Sec. 21 & 28 Var. 4° 56' E.
5.00 N.W. Cor. of Small improvement & Log
Cabin. Could not ascertain the
Premptors Names
10.00 Leave N. E. Cor. of Improvement
17.00 a Branch 8 lks. wide co. North
28.00 a Willow Pond
32.00 Leave Willow Pond
80.10 Intersected N. & S. Line 5 lks. S. of post
Land first 40.00 inclined
to be wet 2nd Rate. Timber W. Oak. Elm.
Lynn & Beech. Mngth. Spice. Beech &
P. Ash. Last 40.10 Open 2nd Rate.
Timber W. Oak. Ash. & Beech. Mngth. as before.

S. 89° W. Establish a Line Betn. Sec. 21 & 28
18.26 a Beech 18 in. diam.
40.05 Set 2d Sec. post pr. wh.
a Beech 8 in. diam. bs. S. 48 E. 10 lks. dis.
a Do 10 " " " N. 64 W. 38 " "
51.39 a Do 20 " "
76.00 a W. Oak 18 " "
80.10 to Sec. Cor.

North Between Sections 20 & 21 Var. 4° 50' E.
10.00 S. Side of Thos. Hunns improvement
17.00 Leave Improvement
22.68 a Beech 18 in. diam.
31.69 a Lynn 10 " "
35.00 State Road pr. Michigan to Kokomo S. 42 W.
40.00 Set 2d Sec. post pr. wh.
an Ironwood 6 in. diam. bs. N. 12 E. 12 lks. dis.

T. 23 N. R. 3 E. 2nd Mer. Indiana.

Chs.	Lks.
	a Beech 10 in. diam. bt. S. 1 E. 25 lks. dis.
45.00	a Swamp Extends E. & W.
51.60	a Sup. Ash 18 in. diam.
55.00	Leave Swamp
65.00	Sup. again fr. S. E.
80.00	Established Cor. to Secs. 16.17.20.21. p. wh.
	a Sup. Ash 10 in. diam. bt. S. 85 E. 12 lks. &
	a Sup. Elm 12 " " " S. 79 W. 8 "
	Land level 2nd Rate Timber
	W. Oak. Elm & Beech. Undgth. Spice, Beech &
	Ironw. - Land in Sup. poor. Timber
	Sup. Elm. Ash. & Maple.
	Improvement of Thos. Hume bttn.
	16.00 & 17.00 Contains 10 acres. a Log
	cabin - claims or intends to improve
	on the S. E. 2 of Sec. 21.

N. 89° E.	On Random Bttn. Secs. 16 & 21. Var. 4° 56' E.
10.00	Leave Swamp
13.50	a Branch 10 lks. wide co. North
40.00	Set Temp. post
43.50	State Road bears S. W.
55.00	a Branch 6 lks. wide co. No. E.
60.00	a Do 6 " " " N. 20 E.
79.95	Intersected N. & S. Line at post
	Land low & inclined to be wet
	2nd Rate Timber W. Oak. Hickory & Beech.
	Undgth. Beech & Ironw. Land in Sup.
	poor Sup. Ash. Elm. & Maple

S. 89° W.	Established Line bttn. Secs. 16 & 21
17.80	a Beech 20 in. diam.
32.47	a Hickory 12 " "
39.97	Set 2 Sec. post p. wh.
	a Beech 12 in. diam. bt. N. 21 E. 25 lks. &
	a Do 14 " " " S. 83½ W. 25 "

T. 23 N. R. 3 E. 2nd Mer. Indiana.

chs. lks.

61.00 a Beech 37 in. diam.
79.95 to Sec. Cor. Dec. 14. 1846.

North Between Sections 16 & 17 Var. 4.50 E.
8.00 Lear Swamp
19.00 a Road bears N.W.
22.50 a Walnut 36 in. diam.
20.00 E. 5.00 Wm. Wolfs Farm Containing 10 Acres
29.05 a W. Oak 30 in. diam.
40.00 Set 2d. Sec. post p. wh.
a Beech 8 in. diam. Vr. N.41 p. W. 7 lks. dis.
a Cherry 7 " " " N.65 p. E. 17 " "
50.00 W. Part of J. Smiths Farm Contain 14. Acres
54.00 Lear Farm
65.00 Begin descent of hill Elev. 60°
65.75 Foot of hill
70.00 Little Wild Cat co. West - Low Banks.
70.75 Lear Wild Cat
72.00 Ascent of hill Elev. 70°
73.00 Summit
80.00 Set post Cor. to Secs. 8.9.16.17 on East side of Branch from which
a Buckeye 8 in. diam. Vr. N.64 E. 34 lks. dis.
a Beech 10 " " " S.5 W. 44 " "
Land fine 8.00 Swamp - Next
32.00 rolling fine rate soil - Timber Walnut, Poplar, W. Oak, & Beech. Undergth. Spice & Beech - Next 25.00 rolling fine rate - Timber as before - Next 7.00 Bottom Land rich Soil Timber Hickory & Beech - Eye Next 8.00 as before

---

N. 89 E. On Random Betn. Secs. 9 & 16 Var. 4.56 E.
4.50 W. side of Stephen Gliff's Cornfield - Line

T. 23 N. R. 3 E. 2nd Mer. Indiana.

Chs.	Lks.	
		passes through Centre - Contains 8 Acres.
		Log Cabin on N. part
11.	50	Lean Cornfield
40.	00	Set Temp. post
79.	50	Intersected N. & S. Line 10 lks. N. of post
		Land all this 79.50 Level
		2nd Rate - Timber W. Oak, Hicky and
		Beech principally - Underwth.
		Spice and Beech. -

S. 89° 05' W.		On True Line betn. Secs. 9 & 16
18.	36	a Beech 24 in. diam.
39.	43	a Hickory 18 " "
39.	75	Set 2nd Sec. post p. wh.
		a Beech 12 in. diam. bn. S. 17 W. 14 lks. &
		a Do 6 " " " N. 37½ E. 27 "
56.	50	a Lynn 24 " "
79.	50	to Sec. Cor.

North		Between Sections 8 & 9 Var. 4° 50' E.
	20	a Branch 6 lks. wide co. West
17.	00	a Beech 20 in. diam.
28.	00	a Do 12 " "
31.	00	Swampy Land Extends E & W.
40.	00	Set 2nd Sec. post p. wh.
		a Sup. Ash 10 in. diam. bn. N. 57 E. 13 lks. dis.
		a Beech 18 " " " S. 37½ W. 18 " "
51.	07	a Sup. Elm 12 " "
69.	00	an S. Ash 18 " "
70.	00	Lean Swampy Land
71.	00	E. Paines improvement - Meadow -
		Contains 6 Acres - no other improvement
80.	00	Established Cor. to Secs. 4. 5. 8. 9. p. wh.
		a W. Oak 30 in. diam. bn. N. 28 E. 1.25 dis.
		a Hicky 24 " " " N. 43 W. 1.53 "
		Land first 31.00 gently rolling

T. 23 N. R. 3 E. 2nd. Mer. Indiana.

chs. lks.

first rate — Timber Walnut, Poplar, & Beech. Next 39.00 poor Swampy, Last 16.00 2nd Rate —

N. 89° E. On Random Bttn. Sec. 4 & 9 Var. 4° 56' E.
1.50 Lean Meadow
5.00 Outlet from Swamp 10 lks. wide co. North,
40.00 Set Temp. p. post
41.00 a Road bears N.W. not used at present
46.00 a Branch 8 lks. wide. co. North.
48.00 Swamp, Mostly S. water 1 foot deep.
61.00 Lean Swamp
79.98 Intersected N. & S. Line 3 lks. S. of post
Land first 48.00 hard Second rate. Next 13.00 poor. Last 18.98 Low poor Land — Timber on dry Land W. Oak, Elm & Beech — principally — Timber in Swp. S. Elm, Maple & Ash. — Mr. Gth. P. Ash. Spice & W. Beech —

S. 89° W. Established Line btn. Sec. 4 & 9
12.16 a Beech 18 in. diam.
36.00 a Hicky 12 " "
39.99 Set 2nd Sec. post p. oth.
a Beech 8 in. diam. bs. N. 2 W. 13 lks. dis.
a Do 10 " " " S. 18 W. 13 " "
65.00 a R. Elm 18 " "
79.98 to Sec. Cor.

North Between Sections 4 & 5 Var. 4° 50' East
3.50 Lean Meadow
30.00 a Branch 8 lks. wide. co. N.W.
39.50 County Road bears E. & W.
40.00 Set Temp. p. post
45.00 John Nights Farm
54.00 Lean Nights farm — Section Line runs

T. 23 N. R. 3 E. 2nd Mer. Indiana.

chs. lks.

Through Middle of Farm - Log House to the West -

68.00 S. Eight Compiled Line passes through Middle of field - contain 10 Acres

78.00 Leave Compiled.

80.20 Intersect N. Boundary. 44 lks. W. of post Cor. to Secs. 32 & 33 T. 24 N. R. 3 E.

Land fine 46.00 gently rolling second rate - timber W. Oak & Beech principally - West 30.00 same kind of soil & timber - East 10.00 Low Land, good second rate - Tim. Hackberry, Buckeye, Oak & Beech.

S. 20 W. Established Line betn. Secs. 4 & 5.

a Buckeye 12 in. diam. B. S. 18 W. 1.5. & 8 lks.

a Do 18 " " " S. 25 E. 19 "

18.00 a Beech 20 " "

40.20 Set 2P. Sec. post p. wh.

a Beech 22 in. diam. B. S. 49 E. 22 lks.

a Do 10 " " " N. 38½ W. 34 "

80.20 to Sec. Cor. Meas. 15. 1846

North Between Sections 31 & 32 Var. 4°50' E.

8.00 Thomas Frazers improvement

9.00 Pass E. end of Log Barn

15.00 Leave Improvement

27.50 a Hickory 18 in. diam.

40.00 Set 2P. Sec. post p. wh.

a Sugar 18 in. diam. B. N. 49 W. 16 lks. dis

a Do 20 " " " S. 23 E. 16 " "

52.00 3.00 E. W. end of large Marsh Prairie Extends East

71.00 a Hick. Elm 24 in. diam. & Branch 10 lks. wide course N. W.

T. 23 N. R. 3 E. 2nd Mer. Indiana.

Ch. lks.

80.00 Established Cor. to Secs. 29. 30. 31. 32. fr. wh.
a Beech 18 in. diam. Bs. N. 9 E. 15 lks. dis.
a Do 12 " " " S. 30 W. 67 " "
Land fine 40.00 gently rolling
second rate Open. – Timber W. Oak.
Sugar & Beech. – Last 40.00 Level
2nd Rate – Timber H. Elm. Hickory.
W. Oak. & Beech. – Undergth. Beech.
Spice & Ironwood –

S. 89° 20' W. On Random Betn. Secs. 30 & 31 Var. 4° 56' E.
6.50 a Branch 10 lks. wide co. N. W.
35.00 Neighborhood Road bears N. 10 E.
40.00 Set Temp. post
86.50 Intersected W. Boundy. 1.05 S. of post
Cor. to Secs. 25 & 36 T. 23 N. R. 2 E.
Land fine 40.00 rolling and
Open – good 2nd Rate – Last 46.50 Level
2nd Rate – Timber throughout W. Oak,
Elm. Sugar. & Beech. Undergrowth
Beech & Ironwood

S. 89° 59' E. On True Line betn. Secs. 30 & 31
a Beech 10 in. diam. Bs. S. 45 E. 51 lks. dis.
a Sugar 24 " " " N. 89 E. 46 " "
17.56 a Beech 12 " "
34.15 a W. Oak 18 " "
46.50 Set 2d. Sec. post fr. wh.
a Beech 10 in. diam. Bs. S. 20 E. 20 lks. &
a Do 8 " " " N. 7 E. 4 "
58.00 a Do 18 " "
86.50 to Sec. Cor.

N. 89° 40' E. On Random Betn. Secs. 29 & 32 Var. 4° 56' E.
42.50 a Road bears N. W. 40.00 Set Temp. post
53.00 a Small outlet 15 wide co. N. 10 W. Low Banks Slow Current

T. 23 N. R. 3 E. 2nd Mer. Indiana.

ch. lks.

70.00 Outlet again 8 lks. wide co. S. W.
70.50 West Edge of Swamp
81.30 Intersected N. & S. Line 28 lks. N. of post
Land first 40.00 Level second rate - Timber W. Oak & Beech. West 20.00 rolling good 2nd Rate Timber W. Oak. Poplar & Beech. East 21.30 Low - part Swamp - Timber Sycs. Ash. Elm. Beech. & Hickory - Undgth. P. Ash. & Beech. Scattering -

---

S. 89° 54' W. On True Line btwn Secs. 29 & 32
19.86 a Beech 18 in. diam.
29.60 a Do 24 " "
40.65 Set 2nd Sec. post p. wh.
a Birch 12 in. diam. bs. N. 77 W. 10 lks. &
a Do 14 " " " N. 65 E. 38 "
58.36 an Elm 14 " "
71.00 a Beech 12 " "
81.30 to Sec. Cor.

North Between Sections 29 & 30 Var. 4° 50' E.
10.00 a Poplar 30 in. diam.
15.50 a Road bears N. 50 W. not used at present
22.25 a Branch 18 lks. wide co. N. 70 W.
31.25 a W. Elm 20 in. diam.
40.00 Set 2nd Sec. post p. wh.
a Birch 14 in. diam. bs. S. 89 E. 42 lks. dis.
a Sugar 20 " " " N. 56½ W. 29 " "
58.13 a Sugar 24 " "
72.50 State Road fr. Kokomo to Michigan Town bears S. 40 W.
80.00 Established Cor. to Secs. 19, 20, 29 & 30 p. wh.
a Sugar 12 in. diam. bs. N. 11½ W. 29 lks. &
a B. Ash 10 " " " East 19 "
Land first 40.00 rolling first

T. 23 N. R. 3 E. 2nd Mer. Indiana.

Chs. Lks.

Rate - Timber W. Oak. Poplar. Walnut
Lynn. & Beech. Wnigth. Spice & Beech.
Last 40.00 gently rolling
Second rate - Timber Sugar. W. Ash.
Hickory. Elm. & Beech. Mnderigth.
P. Ash. Ironw.d W. Birch & Spice —

N.89.59 W. On Random Betw.n Sec. 19 & 30 Var. 4.56 E.
1.50 a Swamp. Water fr. 1 to 2 feet deep
15.00 Leave Swamp bears off N.W.
24.00 Swamp again
35.00 Leave Swamp
38.00 Low wet Land
42.00 Leave wet Land
55.00 a Road bears N.W
58.00 a Branch 20 lks. wide co. N.W.
87.00 Intersected W. Boundy. 80 lks. S. of post
Cor. to Sec. 24 & 25 in T. 23 N. R. 2 E.
Land level poor - Timber
W. Oak. Sup. Ash. Maple. Elm & Birch.

S.89.28 E. On True Line betw.n Sec. 19 & 30
* 21.00 a Beech 18 in. diam. } * Birch 10 N.53 E. 75 lks.
39.00 a Do 21 " " } Do 12 S.33½ E. 55
47.00 Sec. 2.d Sec. post p. wh.
a W. Birch 8 in. diam. bs. S.27½ W. 10 lks. dis.
a Sup. Ash 8 " " " N.36 E. 24 " "
60.00 a Birch 18 " "
71.00 a Sup Ash 10 " "
87.00 to Sec. Cor.

N.89.54 E. On Random Betw.n Sec. 20 & 29 Var. 4.56 E.
6.50 State Road from Kokomo to Michigan Town
bears North
11.00 Preston Satons farm S. of Line contains
30 Acres house Log house & State Road again bs. East.

T. 23 N. R. 3 E. 2nd Mer. Indiana.

Chs. lks.

28.00 Lean farm & Continue in Road
40.00 Set Veins. p. post
45.00 Phillips Ramsey's farm S. of Sec. Line
Contains 20 Acres
63.00 Lean farm & State Road co. N. 25 E.
64.00 Swamp. water 3 feet deep trees off
N. W. and S. E.
73.00 Lean Swamp
81.35 Intersection N. & S. Line at post
Land level 2nd Rate Timber
W. Oak. Ash. & Beech. Swamp poor
Timber Maple. Sup. Ash & Elm.
Dec. 15. - 1846

S. 89° 54 W. Established Line betw. Secs. 20 & 29
13.00 a Sup. Elm 18 in. diam.
40.67 Set 2d Sec. post p. wh.
a Hickory 18 in. diam. bt. S. 18 W. 19 lks. &
a Hic. Elm 12 " " " S. 84 E. 70 "
in State Road
81.35 to Sec. Cor.

North Between Sections 19 & 20 Var. 4.50 E.
9.00 a Beech 18 in. diam.
29.63 a Lynn 36 " "
40.00 Set 2d Sec. post p. wh.
a W. Beech 8 in. diam. bt. N. 29° 30 E. 14 lks. &
an Ironw. 6 " " " S. 78 W. 12 "
64.10 a R. Elm 30 " "
69.00 a Branch 10 lks. wide co. N. W. Outlet
from Swamp
72.00 Branch again co. N. 15 E.
80.00 Set post Cor. to Secs. 17. 18. 19. 20 p. wh.
a Beech 21 in. diam. bt. S. 75 W. 38 lks. dis.
a R. Elm 8 " " " N. 64 E. 7 " "
Land first 40.00 level second

T. 23 N. R. 3 E. 2nd Mer. Indiana.

chs. lks.

Rate Timber Oak. Hickory. Beech. and Lynn – No Undergth.
Last 40.00 gently rolling 2nd
Rate – Timber W. Oak. Sugar. & Beech. Undergth Beech & Spicewood

---

N. 89°.28' W. On Random Betn. Secs. 18 & 19 Var. 4°.56' E.
12.00 N. E. Cor. of farm, altogether S. of Sec. Line – Contains 10 Acres
18.00 N. W. Cor.
30.00 a Road bears S. W.
33.00 Low wet Land
40.00 Set Temp. post
79.00 Clear wet Land
82.00 a Branch 3 lks. wide co. N. & W.
87.02 Intersects W. Boundy. 3 lks. N. of post
Land first 33.00 rolling 2nd
rate – Next 45.00 poor – Last 8.00 Second rate – Timber W. Oak. Beech. Maple. Lynn. & Swp. Ash. Undergth. as before

---

N. 89°.28' E. Established Line betn. Secs. 18 & 19
a Beech 12 in. diam. Br. N. 11½ E. 29 lks. &
a do 20 " " " S. 36 E. 44 "
29.00 a Swp. Elm 18 " "
47.02 Set 2nd Sec. post p. wh.
a Beech. 12 in. diam. Br. S. 57 E. 14 lks. dis.
a Hickory. 20 " " " N. 74½ W. 14 " "
87.02 to Sec. Cor.

N. 89°.54' E. On Random Betn. Secs. 17 & 20 Var. 4°.56' E.
5.00 a Branch 10 lks. wide co. North.
7.00 Low wet ground extends N. & S.
40.00 Set Temp. post
50.00 Clear wet Land
70.00 Swamp

T. 23 N. R. 3 E. 2nd P.M. Ind.

Chs. lks.

81.40 Intersected N. & S. Line 10 lks. N. of post
Land first 5.00 rolling 2nd
Rate - Timber Oak & Beech. Next 30.00
Flat wet & poor - Timber Sweet. Ash. Elm.
& Maple - Next 20.00 dry level 2nd
Rate - Tim. as before - Last 11.40 poor

S. 89° 58' W. Establishing Line betwn. Secs. 17 & 20
21.50 a Beech 18 in. diam.
37.00 a W. Oak 20 " "
40.70 Set 2d. Sec. post p. wh.
a Sugar 10 in. diam. bs. S. 3 E. 30 lks. dis.
a R. Oak 12 " " " N. 28 W. 32 " "
59.63 a Beech 20 " "
71.00 a Sycm 20 " "
81.40 to Sec. Cor.

North Between Sections 17 & 18 Var. 4.50 E.
17.31 a Sycm 12 in. diam
30.60 a Beech 18 " "
33.00 a Road bears N. 60 W.
40.00 Set 2d. Sec. post p. wh.
a Beech 18 in. diam. bs. S. 46 E. 12 lks. &
a R. Elm 8 " " " N. 6 E. 8 "
48.45 a Sugar 12 " "
49.00 Commence descent of hill Elev. 60°
49.50 Foot of hill
52.00 Large Branch 15 lks. wide co. W.
53.00 Begin Ascent of Bluff Elev. 70°
55.50 Summit
58.00 David Heaton's Farm Contains 25 Acres
Line passes through W. part of Improvt.
63.00 Lear Farm
72.50 Commence descent of Bluff Elev. 70°
73.75 Foot of Bluff
78.00 Little Wild Cat Co. W. Low Banks.

T. 23 N. R. 3 E. 2nd Mer. Indiana.

ch. lks.	
78.75	Lean Little Wild Cat
80.00	Set post Cor. to Secs. 7. 8. 17. 18 p. wh.
	a Beech 8 in. diam. Br. N. 1 E, 18 lks. dis.
	a Do 10 " " " S. 14 p. W. 40 " "
	Land first 40.00 gently rolling
	2nd Rate - Timber W. Oak Elm & Beech -
	Undgth. Spice & Beech
	Last 40.00 Broken 2nd Rate - Timber
	W. Oak & Beech. Undgth. as before

N. 89° 54' E.	On Random Betn. Secs. 8 & 17 Var. 4° 56' E.
5.00	Little Wild Cat co. S.
5.75	Lean Little Wild Cat
20.00	Little Wild Cat co. South
20.75	Lean Wild Cat
38.00	Wild Cat again co. E. & W.
40.00	Set Temp. post
45.00	Lean Wild Cat bears off S. 15 E.
46.00	S. W. Cor. of Baxters Farm
54.00	Lean S. E. Cor. of Farm
66.50	Wild Cat again co. S. W.
67.25	Lean Wild Cat
70.50	Wild Cat again co. N. W.
71.30	Lean Wild Cat
81.55	Intersected N. & S. Line at post. and
	a Branch 8 lks. wide co. S.
	Land all the 80.00 N. & S. of
	Creek Low Bottom - rich Soil - Subject
	to inundation - Land from Summit of Bluff
	or hill N. & S. of Creek Level 2nd Rate - Timber
	W. Oak & Beech - Undgth. Spice & Beech.

S. 89° 54' W.	Establishing Line Betn. Secs. 8 & 17
21.00	a Beech 18 in. diam.
40.77	Set 2d Sec. post p. m. h. (Post in Wild Cat)
	a G. Ash 12 in. diam. Br. N. 15 E. 79 lks. dis.

T. 23 N. R. 3 E. 2nd Mer. Indiana.

chs. lks.	
	a W. Oak 8 in. diam. bt. N. 13 p. W. 67 lks. dis.
72.08	a Hackberry 20 " "
81.55	to Sec. Cor.

N. 89° 28' W.	On Random Betw. Sec. 7 & 18 Var. 4° 56' E.
10.00	Little Wild Cat Sec. Line along in Creek
13.50	Intersection of Branch on S. side of Creek
14.00	Leave Wild Cat bears off N. W.
15.00	Ascent of Bluff Elev. 60 ft.
16.25	Summit
17.50	Compiled pass through the Center
21.00	Leave Compiled
40.00	Set Temp. post
63.00	a Branch bears N. W.
86.80	Intersected W. Boundy. 93 lks. S. of post
	Land E. of Wild Cat Low Bottom - Rich soil
	Timr. Hackberry & Buckeye - W. of Creek. & same W. of
	Bluff. Level 2nd Rate - Timr. W. Oak. Sugar. Lynn
	Birch. Mapleth - Spice & Beech

S. 88° 58' E.	On True Line betw. Sec. 7 & 18
	a Birch 14 in. diam. bt. S. 37 1/2 E. 37 lks. &
	a Sugar 18 " " " N. 58 E. 37 "
17.60	a Birch 12 " "
32.00	a Do 20 " "
46.80	Set 1/4 Sec. post pr. wh.
	a Beech 8 in. diam. bt. N. 6 W. 31 lks. &
	a R. Elm 8 " " " S. 31 E. 17 "
51.13	a W. Oak 24 " "
75.40	a Lynn 10 " "
86.80	to Sec. Cor. Dec. 17. 1846

North	Between Sections 7 & 8 Var. 4° 56' E.
3.50	Ascent of Bluff Elev. 60 ft.
4.50	Summit
5.00	J. Guiger's Farm - Large West

T. 23 N. R. 3 E. 2nd P. M. Ind.

ch. lks.

12.00 Lean Farm
18.00 a Beech 20 in. diam.
30.41 a Hickory 24 " "
40.00 Set 2nd Sec. post pr. wh.
a Poplar 40 in. diam. Bn. S. 33 E. 18 lks.
a Beech 10 " " " N. 16½ E. 36 "
56.65 a Ho 30 " "
71.00 a Sugar 12 " "
80.00 Set post Cor. to Secs. 5.6.7.8 pr. wh.
a Beech 8 in. diam. Bn. N. 47 W. 24 lks.
a Cherry 8 " " " S. 55 E. 11 "
Land fine 3.00 Bottom - Low
Rich Soil - Next 37.00 Level & Open 2nd
Rate - Timber W. Oak & Beech, principally
Last 40.00 Gently rolling, good
second rate - Timber W. Oak. G. Ash Pop-
lar, Sugar, & Beech. Mngth. Spin & Beech.

N. 89° 54' E. On Random Bitn. Secs. 5 & 8 Var. 4° 56' E.
9.00 W. side of W. Bries Farm - Sec. Line
passes within 1.00 of N. side. 20 Acres
under fence
33.00 Lean Farm
35.00 W. side of Jas. Clarks farm Sec. Line
passes along N. side of Farm Contains 8. Acres
40.00 Set Temp. p. post
40.50 Lean Jas. Clarks Farm
41.00 N. 75 lks. S. W. Cor. of Andrew Barngrows
Farm Contains 25 Acres
60.00 N. 75 lks. S. E. Cor.
71.00 a Meadow
81.47 Intersecting N. & S. Line 11 lks. N. of post
Land along this 81.47 level
good second rate - Timber W. Oak. G. Ash
& Beech generally

T. 23 N. R. 3 E. 2nd Mer. Indiana.

Chs.	Lks.
S.89.58 W.	On True Line Betn. Sec. 5 & 8
15.00	a Beech 12 in. diam.
40.73	Set 2d. Sec. post p. wh.
	a Cherry 10 in. diam. to N.83 p. E. 44 lks.
	a Beech 10 " " " S.22 p. W. 26 "
75.00	a Beech 20 " "
81.47	to Sec. Cor.

N.89.53 W.	On Random Betn. Sec. 6 & 7 Var. 4.35 E.
18.00	a Branch 6 lks. wide co. North
29.00	N. E. Cor. of Jas. S. Chips Farm. Lies
	S. of Line - Contains 40 Acres of Improvt.
40.00	Set Temp. post
42.00	Leave N. W. Cor. of Farm
48.00	N. E. Cor. of Thos. McClures Farm 35
	Acres under cultivation
66.50	Leave N. W. Cor. of Farm
67.00	Descent of Hill - Elevt. 50 ft.
68.00	Foot of Hill - Low wet Land
82.50	Ascent of Hill Elevt. 60 ft.
83.25	Summit
86.08	Intersected W. Boundy. 41 lks. N. of post
	Land fine 40.00 level Clay Soil
	second rate - Last 40.00 rolling 2nd
	Timber Oak & Beech

N.89.51 E.	On True Line betn. Sec. 6 & 7
*15.00	a Beech 20 in. diam. } *Beech 20 S.51 p. E. 22 lks.
46.08	Set 2d. Sec. post p. wh. } Do 24 N.12 E. 21
	a Beech 10 in. diam. to S.14 E. 23 lks. &
	a Sugar 20 " " " N.33 p. W. 31 "
73.00	a Beech 18 " "
86.08	to Sec. Cor.

North Between Sections 5 & 6 Var. 4.50 E.
.50 Neighborhood Road bears East

T. 23 N. R. 3 E. 2nd P. M. Ind.

Chs. Lks.

1.50 John Hunnuts Farm - Line runs through Middle of improvement.
9.00 Dwelling - two Log Houses & Log Stable immediately East of Line
18.00 Leave Farm
28.00 a Branch 8 lks. wide co. West
36.00 County Road
37.00 Descent of Bluff Bank Elev. 60.
38.00 Foot of Bluff Bank
39.50 Big Wild Cat cr. West
40.00 Temp. post in Wild Cat
40.50 Leave Wild Cat
75.00 Ascent of Hill Elev. 50.
76.00 Summit of Hill
80.15 Intersected N. Boundy. 16 lks. W. of post Cor. to Secs. 31 & 32 T. 24 N. R. 3 E.

Land first 37.00 level second rate - Timber W. Oak & Beech. Next 34.00 Low Bottom Land second rate. Timber Maple & Sycamore. Last 4.15 high level Land second rate

---

S. 7 W. Established Line Betn. Secs. 5 & 6

* 19.30 a Beech 12 in. diam. } *Beech 12 L. 88 W. 42
31.60 a Sycamore 20 " " } a Sugar 30 L. 5 E. 52
40.15 Set 2d. Sec. post p. mh. (in Creek)
a Sycamore 18 in. diam. v. N. 20 W. 91 lks.
a Maple 20 " " " N. 50 E. 111 "
60.35 a Beech 20 " "
80.15 to Sec. Cor. Dec. 18. 1846

Genl. Description

The Land in Township No. 23. North in Range 3 East is level & second rate generally - The N. & N.W. part

T. 23 N. R. 3 E. 2nd. Mer. Indiana.

Chs. Ks.

of the Township being Elevated from ten to twenty feet higher than the Surface of the Water in Big & Little Wild Cato. The E. & S. & S.W. parts being very near on a Level with the water courses, which bear off S. E. & E. with a Slow Current. The Surface of the water in the Marshes and Ponds is very nearly on an Elevn. with the Surface of the Soil. The Ascent & Descent to Either being scarcely perceptible

The Soil in general is composed of Blue Clay and a small portion of Alluvial. The wet Lands & Swamps, being all Clay, which is the Cause of the Marshes & Ponds, containing the water until the dry Seasons Ensue

The timber is mostly W. Oak & Beech - which frequently continues the same in the Bottom Lands to the very Banks of the Water courses

---

Certificate.

I. Abner E. Van Nys Desig. Surveyor, do solemnly Swear that in pursuance of a Contract dated the Twentieth day of May 1846 with Lucius Lyon Surv. Genl. of the United States for Ohio, Indiana & Michigan; and in strict conformity to the Laws of the United States, and Instructions of said Surv. Genl. I have regularly Surveyed and Sub-

T. 23 N. R. 3 E. 2nd Mer. Indiana.

chs. lks.

divided into Sections Township No. 23 N. of Range No. 3 East of the Second Principal Meridian in the State of Indiana. And I do further Solemnly Swear that the foregoing are the true Original Field Notes of the said Survey and Subdivision Executed as aforesaid.

Abner E. Van Nys
Dep. Surveyor

Subscribed and Sworn to before me this 22 day of Jany. 1847

Jas. W. Lynn
Justice of the Peace

Justice Miner }
James Bell } Chainmen
Andrew Howard — Marker.

Note by Recorder — That portion of Reserve No. 6 To Francis Lafontain — extending into this Town — will be found Recorded in T. 24 N. R. 3 E.

S. 89° W. Establish a Line btwn. Secs. 14 & 23
(See page 88 — for Random)
27.00 a Beech 18 in. diam.
40.21 Set 2d Sec. Prot. p. wh.
a Beech 18 in. diam. bt. N. 37 E. 14 lks. &
a W. Walnut — " " " S. 19 W. 6 "
63.00 a Beech 20 " "
80.40 to Sec. Cor.

120.

T. 23 N. R. 3 E. 2nd Mer. Indiana.

I certify that the forgoing Transcript of the Field Notes of Township No. 23 North in Range No. 3 East 2nd Meridian Indiana, has been compared with the Original Notes in this Office, and found to be correct

Surveyor Generals Office
Detroit Nov. 1. 1849

Lucius Lyon,
Sur. Genl.